

Mathematics of Planet Earth: Sustainable Human Environments

Fred Roberts
Rutgers University



Mathematics of Planet Earth 2013

- A joint effort initiated by North American Math Institutes: **MPE2013**
- More than 100 partner institutes, societies, and organizations in UK, France, South Africa, Japan, and all over the world
- www.mpe2013.org



A poster for the Mathematics of Planet Earth 2013 initiative. The background is a satellite-style image of Earth. The title "Mathematics of Planet Earth 2013" is prominently displayed at the top in white and yellow. Below the title, it says "A Joint Initiative of North American Mathematics Institutes". A paragraph of text describes the initiative's focus on understanding Earth's dynamic processes and human impacts. A list of key research areas is provided, including weather, climate, health, planetary resources, and global economics. The website address "www.mpe2013.org" is at the bottom right. At the very bottom, there are logos for various partner institutions such as the National Science Foundation, the Centre de Recherches Mathématiques, and others.

Mathematics of Planet Earth 2013

- Activities world-wide throughout 2013
- Sponsorship by UNESCO
- Support from Simons Foundation
- Workshops, tutorials, competitions, distinguished lectures, educational programs



Mathematics of Planet Earth 2013
A Joint Initiative of North American Mathematics Institutes

Earth is a planet with dynamic processes in the mantle, oceans and atmosphere, creating climate, causing natural disasters, and influencing fundamental aspects of life and life-supporting systems. In addition to these natural processes, humans have developed systems of great complexity including economic and financial systems, the world-wide web, frameworks for resource management, transportation and health care delivery, and sophisticated social organizations. Human activity has increased to the point where it influences the global climate, impacts the ability of the planet to feed itself and threatens the stability of these systems. Issues such as climate change, sustainability, man-made disasters, control of diseases and epidemics, management of resources, and global integration have come to the fore.

To meet this necessary challenge, Mathematics of Planet Earth 2013 will include programs in:

- Weather, climate, and environment
- Health, human and social services
- Planetary resources
- Population dynamics, ecology and genomics of species
- Energy utilization and efficiency
- Connecting the Planet together
- Geophysical processes
- Global economics, safety and stability

Other partners from North America and around the world are invited to join. For further details, including information regarding call for proposals, see the website.

www.mpe2013.org

Logos of participating institutions: American Institute of Mathematics, Centre for Research in Mathematics, IPAM, mbi, MSRI, NIMBioS, Samsi, etc.

Mathematics of Planet Earth Beyond 2013

- Problems of the planet will not go away in one year.
- We are planning a series of events to continue beyond 2013.
- New initiative world-wide now called **MPE**
- In the US, we call it **MPE2013+**



Mathematics of Planet Earth Beyond 2013

Goals of MPE2013+

- Involve mathematical scientists in addressing the problems of the planet
- Enhance collaborations between mathematical scientists and other scientists
- Involve students and junior researchers in the effort
- Encourage life-long commitment to working between disciplines to solve the problems of society



Mathematics of Planet Earth 2013+

- Opening Introduction to Problems of the Planet and involve students and junior faculty: Arizona State University, Jan. 7-10, 2014
- Five *Research Clusters*, beginning with workshops:
 - *Sustainable Human Environments* (Rutgers U.), April 23-25, 2014 (this workshop)
 - *Global Change* (UC Berkeley), May 19-21, 2014
 - *Data-aware Energy Use* (UC San Diego), Sept. 29 – Oct. 1, 2014
 - *Natural Disasters* (Georgia Tech), May 13-15, 2015
 - *Management of Natural Resources* (Howard University), June 4-6, 2015


Mathematics of Planet Earth 2013+


Follow-up cluster activities:

- Sustainable Human Environments cluster:
 - Pre-workshop: Urban Planning for Climate Events Sept. 2013
 - Post-workshop: Tentatively in Paris, Fall 2015
 - Cluster activities to be discussed here
- Natural Disasters cluster: working with several potential partners in Mexico and Colombia.
- Global Change cluster: considering a follow-up event at the National Center for Atmospheric Research (NCAR).

Mathematics of Planet Earth 2013+

- Education is a crucial piece of this and of the sustainability effort in general.
 - Workforce development
 - Public literacy
- Need education at all levels, starting with K-12.
- Education issues in each workshop
- Special Education cluster: *Education for the Planet Earth of Tomorrow*
- Cluster workshop: U. of Tennessee, Fall 2015.






Tim Killeen, Assistant Director, NSF

- **“It is the challenge of the century: How do we live sustainably on the planet? We all have to contribute.”**

This Workshop: Sustainable Human Environments

- In 1900, only 13% of the world's population lived in cities.
- By 2050, it is predicted that 70% will.



Sustainable Human Environments

- Rapidly growing urban environments present new and evolving challenges:
 - Growing needs for energy and water
 - Impacts on greenhouse gases
 - Public Health
 - Safety
 - Security
- As rapid city expansion continues, mathematical scientists can play key roles in shaping sustainable living environments – in collaboration with scientists from many fields



Sustainable Human Environments

- Four themes for our cluster activities (so far):
 1. The Role of Data in “Smart Cities”
 2. Anthropogenic Biomes
 3. Security
 4. Urban Planning for a Changing Environment
- One example from each theme

Theme 1: The Role of Data in “Smart Cities”

“With recent advances in technology, we can infuse our existing infrastructures with new intelligence, ... digitizing and connecting ... [to] sense, analyze and integrate data, and respond intelligently to the needs of their jurisdictions. In short, we can revitalize them so they can become smarter and more efficient.”

IBM SmarterPlanet.


http://www.ibm.com/smarterplanet/us/en/?ca=v_smarterplanet, 2012.

The Role of Data in “Smart Cities”

- Challenge: Find ways to use data to:
 - Make smarter, more livable cities
 - Understand patterns driving human behavior
 - Understand causes of the state of the urban environment
 - Learn how to optimize our choices.



Smart City: a System of Systems of Systems...




The Role of Data in Smart Cities

- *Theme 1: The Role of Data In Smart Cities: Math Science Challenges:*
 - Smart systems to reduce congestion and pollution thru traffic prediction and optimization
 - Real-time rerouting of commuting passengers
 - Vehicle sharing systems
 - Energy Management
 - Water Management
 - Health care allocation in emergencies
 - Keeping citizens informed of municipal services (especially during disasters)

The Role of Data in “Smart Cities”

- *Example: Traffic Management**
- Some math sci challenges: intelligent transportation systems:
 - Integrated fare management
 - Road usage charging
 - Traffic information management

*Most of ideas on traffic management taken from talk “Smart Cities – How can Data Mining and Optimization Shape Future Cities,” by Francesco Calabrese of IBM Ireland at DIMACS workshop on Smart Cities, Paris, Sept. 2011



The Role of Data in “Smart Cities”

- Real-time road traffic management:
 - Key role of sensors
 - Monitor actual traffic situation (volumes, speeds, incidents)
 - Control or influence the flow using that information to:
 - Reduce traffic congestion
 - Deal with incidents
 - Provide accurate information to drivers and authorities
 - Grant proper authority/routing to emergency vehicles




Credit: Francesco Calabrese
Smarter Cities Technical Centre
IBM - Ireland 18

The Role of Data in “Smart Cities”

- Real-time road traffic management: For sensor data, GPS data is key.
- Math Sci challenges:
 - GPS data needs to be related to underlying network (road or rail) by map matching algorithms that are computationally expensive
 - GPS data sampled at irregular intervals, possibly with large gaps – requires advanced analytics to reconstruct GPS trajectories
 - GPS data inaccurate, needs “cleaning”

The Role of Data in “Smart Cities”

- Other sensor data math sci challenges:
 - Real-time speed estimation
 - Estimated heading
 - Real-time traffic information



Credit: Francesco Calabrese
Smarter Cities Technical Centre
IBM - Ireland

The Role of Data in “Smart Cities”

- Understanding human transit demands/needs: for real-time or planning purposes
- Math sci challenges:
 - Analyzing transit needs in short and long term
 - Help citizen to navigate the city
 - Design adaptive urban transportation systems
 - Detect and predict travel demand
 - Offer real-time alternative routings
 - Improving event planning and management: predict effect of an event on urban transportation

Credit: Francesco Calabrese
Smarter Cities Technical Centre
IBM - Ireland



The Role of Data in “Smart Cities”

- Understanding human transit demands/needs:
Example: Closure of Pulaski Skyway in NJ.
 - Key commuter route into NYC
 - Traffic modeling – NJ Dept. of Transportation
 - Leads to idea of employers shifting work hours
 - Leads to idea of usage of shoulder on NJ Tpk
 - But: need real-time rerouting thru signs, social media, etc.
 - Modeling challenge: what if everyone responds to same routing guidance???
 - Project of CCICADA Center at DIMACS in collaboration with Port Authority of NY/NJ

Credit: Wikipedia



The Role of Data in “Smart Cities”

- Another example: Modeling bike sharing systems
 - How to model spatio-temporal pattern of bike availability
 - Infer correlation between origins and destinations
 - Predict # available bikes, availability of parking spots
 - “Journey advisor” to suggest station to use to minimize travel time and maximize probability of finding a bike


Credit: Francesco Calabrese
Smarter Cities Technical Centre
IBM - Ireland



The Role of Data in “Smart Cities”

- Planning Urban Transportation Systems:
 - What routes to create or expand?
 - Determining route capacities
 - Good combinations of transportation modes
 - Determining location and capacity of stations for bike sharing, zipcars, electric vehicle charging stations
 - How sensitive is plan to origin-destination data?
 - What is effect of population growth?
 - Of changes in built environment?
 - How sensitive is plan to people’s transportation mode preferences?

Credit: Francesco Calabrese
Smarter Cities Technical Centre
IBM – Ireland; USDA Farm Service
Agency; Mass GIS, Commonwealth
of Massachusetts EOEA



Theme 2: Anthropogenic Biomes

- A city can be viewed as a system of systems.
- Considering cities to be like complex, interconnected ecosystems can assist in developing models for interaction of humans and their environment.
- “Biome” an ecological concept – essentially an ecosystem.
- *Anthropogenic biome*: A biome in which human interaction with natural ecosystems is large and significant.

Anthropogenic Biomes

- *Theme 2: Anthropogenic Biomes: Math Science Challenges:*
 - Modeling cities as complex, interconnected ecosystems
 - Modeling the interactions of humans and their urban environment
 - Limits to growth
 - Fairness in using and distributing resources
 - Monitoring networks/early warning systems for natural and other hazards
 - Incentives for best practices by citizens
 - Improving paradigms for inclusion and ownership of natural resources
 - Optimizing models for use of networks – physical and social

Anthropogenic Biomes

- *Sustainable* Anthropogenic Biome: What characterizes it?
- Example: compactness
- *Example: The compact city*




Credit: Francesco Calabrese
Smarter Cities Technical Centre 27
IBM - Ireland

The Compact City

- In the 1970's two mathematical scientists, George Dantzig and Tom Saaty, developed the notion of a “compact city”
- An idealized city of the future that made effective use of natural resources
- Dantzig, G., and Saaty, T.L., “Compact City: Plan for a Liveable Urban Environment,” W.H. Freeman, 1973
- Early version a RAND Corp report in the 1960s.

The Compact City

- George Dantzig:
 - Operations research/management science pioneer
 - Instrumental in establishing the O.R. profession and the foundations of mathematical programming and its applications.
- Tom Saaty
 - PhD in Mathematics
 - Long term faculty member in Business School University of Pittsburgh
 - Pioneer in decision theory, conflict resolution



Tom Saaty
Credit: Wikipedia



George Dantzig 29
Credit: OR/MS Today, August 2005

The Compact City

- Dantzig-Saaty compact city:
 - 500,000 people.
 - 5 large skyscrapers surrounded by green space




Credit:

CTBUH Global News

<http://www.ctbuh.org/News/GlobalTallNews/tabid/4810/Article/67/language/en-US/view.aspx#>

The Compact City

- Chapters in the Dantzig-Saaty book devoted to specific math-sci problems:
 - Management of vertical traffic
 - Effective use of the time dimension thru round the clock use of facilities
 - Physics of delivering water to top floors
 - Whole chapter on operations research problems



The Compact City: Math Sci Issues*

- Today, concept of compact city is central in urban and regional planning
- Key concepts that need math sci precision/definition/analysis:
 - Urban containment, separation of settlements, efficiency of land use
 - Viability of public transportation, lower car dependency, lower travel costs and lower climate change emissions
 - Protection of the countryside, land for agriculture, ecological diversity
 - Densification of urban neighborhoods, resulting social cohesion

*This and next 2 slides – thanks to Westerink, et al., “Dealing with Sustainability Trade-offs of the Compact City in Peri-Urban Planning Across European City Regions”

The Compact City: Math Sci Issues

- Should a compact city be monocentric?
- What are advantages of a polycentric city?
- What is the ideal size of a city?
- A compact city loses many advantages if the distance between the core and the fringes is too great. Thus, proximity is important.
- How determine proximity?
 - Metrics?
 - Daily needs of citizens or workers should be in easy walking or cycling distance?
- Proximity replaced by accessibility: Traveling time more important than physical distance

The Compact City: Math Sci Issues

- Density often used as a measure for defining urban gradients
 - But is it # people per acre? # addresses per acre? Average # people per dwelling? Average size of dwelling?
 - How you measure density affects conclusion from your models
- Can you model characteristics of sustainability and of compactness and study whether a compact city is more likely to be sustainable?

Theme 3: Security

- *Theme 3: Security: Math Science Challenges:*
 - Understanding crime patterns and deploying police
 - Modeling evacuations from large gathering places (stadiums, transportation hubs)
 - Inspection procedures for people entering restaurants, stores, stadiums, transportation hubs
 - Location and optimization of new security initiatives: cameras, barricades, street closures
 - Role of randomization
 - Interface between security and commerce
- *Example: safety and security at sports stadiums and other gathering places.*



Credit kitv.com

Boston, April 15, 2013


Could mathematical sciences have helped?

Security at Sports Stadiums & Large Gathering Places

- *Example: safety and security at sports stadiums and other gathering places.*
- Examples from work of CCICADA Center
- Example: modeling/simulation of sports stadium evacuation (joint with Regal Decision Systems)
- Simulations of crowd movement.
- Worked with NFL stadiums.



Lincoln Financial Field
Philadelphia



Cowboys Stadium
Dallas

Security at Sports Stadiums & Large Gathering Places


- *Example: safety and security at sports stadiums and other gathering places.*
- Example: modeling and simulation of sports stadium evacuation (in collaboration with Regal Decision Systems) led us to close collaborations with National Football League security and stadium operators.
 - Worked with 6 NFL stadiums and Indianapolis SuperBowl
 - Work applied during lightning storm at an NFL stadium





Security at NFL Stadiums

- Example: Inspection of entering patrons
 - Modeling
 - Data Analysis
 - Simulation




Inspection Models: Layered Defense

- *Abstract concept of layered defense*
- A model of a “perimeter” defense of the target with several layers of defense:
 - Limited budget for surveillance
 - How much to invest in each layer?
 - Defense at outer layers might be less successful but could provide useful information to selectively refine and adapt strategies at inner layers.
 - Arranging defense in layers so decisions can be made sequentially might significantly reduce costs and increase chance of success.

Layered Defense

Abstract model of layered defense:


- Target in middle
- Threats arrive via 4 inner channels
- Each combines 2 outer outer flows of vehicles, persons, etc.



Layered Defense

Abstract model of layered defense:


- Fixed budget for outer layer and for inner layer defense
- Can choose among detectors with different characteristics and costs
- How optimize probability of detection?



Layered Defense

Different models for:


- Flow along different paths
- Prob. of detection at different locations (outer, inner)
- Allocate resources to layers in advance; or allow modifications of inner defense strategies based on outer layer results



Layered Defense

- One can formulate this as an optimization problem of maximizing the probability of detection subject to budget constraints.
- We have developed dynamic programming methods for solving this problem.
- (Asamov, Yamangil, Boros, Kantor, Roberts)

General Formulation: Outer layer(s) plus inner layer(s) – paths of approach



General Formulation: Outer layer(s) plus inner layer(s) – paths of approach

Model Assumptions: First Model:

- Each incoming path u has a dangerous “flow” F_u
- At each sensor k , the probability of detection is a function $D_k(R_k)$ of the resources R_k allocated to that sensor.

General Formulation: Outer layer(s) plus inner layer(s) – paths of approach

Model Assumptions: First Model

Special Case: The Case of Two Layers

- Assume that the outside layers share a limited resource budget and so do the inside layers.
- More subtle models allow one to make decisions about how much budget to allocate between inside and outside.
- *Goal: Allocate the total outside resources among individual sensors and allocate the total inside resources among individual sensors in order to maximize the illegal flow detected.*

The Case of Two Layers

Dangerous flow captured at outside sensor j

$$\begin{aligned} \max_{\mathbf{R}} \quad & \sum_{i \in \text{InsideSensors}} \left\{ \left(\sum_{j \in \text{Neighbors}(i)} F_j \cdot D_j(R_j) \right) + D_i(R_i) \left(\sum_{j \in \text{Neighbors}(i)} F_j (1 - D_j(R_j)) \right) \right\} \\ \text{s.t.} \quad & \sum_{i \in \text{InsideSensors}} R_i \leq \text{TotalInsideResource} \\ & \sum_{j \in \text{OutsideSensors}} R_j \leq \text{TotalOutsideResource} \\ & R_i \geq 0, \forall i \in \text{InsideSensors} \\ & R_j \geq 0, \forall j \in \text{OutsideSensors} \end{aligned}$$

Dangerous flow not captured at outside sensor j that is captured at inside sensor i

Case of an Adaptive Adversary

- So far, our model assumed a fixed flow of dangerous material on each pathway.
- *What if we have an adaptive adversary who recognizes how much of a resource we use for sensors on each node and then chooses the path that minimizes the probability of detection?*
- *To defend against such an adversary we might seek to assign sensor resources so as to maximize the minimum detection rate on any path.*

The Problem for Two Layers with an Adaptive Adversary

$$\max_{\mathbf{R}} \min_{\substack{i \in \text{InsideSensors} \\ j \in \text{OutsideNeighbors}(i)}} \{ D_j(R_j) + D_i(R_i)(1 - D_j(R_j)) \}$$

$$\text{s.t.} \quad \sum_{i \in \text{InsideSensors}} R_i \leq \text{TotalInsideResource}$$

$$\sum_{j \in \text{OutsideSensors}} R_j \leq \text{TotalOutsideResource}$$

$$R_i \geq 0, \forall i \in \text{InsideSensors}$$

$$R_j \geq 0, \forall j \in \text{OutsideSensors}$$

Stadium Inspection: Data Issues

- NFL asked all stadium security operators to perform 100% wanding of patrons.
- This didn't always work. Close to kickoff time, lines got too long.
- Met with NFL Security
- Began analysis of security procedures at one stadium
- See details in talk at this workshop



Stadium Inspection: Data Issues

- Started by looking at three types of inspection in use at NFL stadiums; later worked with all major sports leagues (MLB, NBA, NHL, MLS, etc.)
 - *Wanding*
 - *Pat-down*
 - *Bag inspection*
- Observed stadium inspections and gathered data about each type of inspection, in particular how long it takes




Stadium Security: Simulation as a Planning Tool

- **Simulation modeling – strategic planning:**

- Based on the information obtained from the data collected during in-person observation and video analysis, we have developed a *simulation* of entrance queues.

- Using the data from actual distributions, we have used the simulation to evaluate the speed and cost of inspection for various alternative policies.

The Simulation Model




Most of the **parameters** can be obtained by **choosing a representative game**

- **Parameters**


- Arrival rates
- Number of lanes
- Wandering times
- Pat-down times
- Magnetometer times

- **Screening Strategy**

- Switching inspection type (Y/N)
 - Number of patrons in queue to switch the process, or
 - Time of switch
- Does phase 2 include randomization? (Y/N)
 - Ratio of patrons in each type of inspection in the randomization



The model **output** file includes:



- **In Queue @ kickoff**
- **Queue clearance time**
- **Max Waiting Time per patron**

Future Directions/Next Steps

- *Simple randomizations and how to implement and test in practice:*
 - When 100% inspection is not feasible, is there a randomized inspection scheme that ensures equal or greater security protection and deterrence benefit?
 - Use our simulation model to help with percentages that can be inspected at each stage before kickoff?
 - Is there a way to implement such a scheme that is practical and not subject to being interpreted as profiling?
 - Random beeper
 - Deck of cards
 - Credit card number to present later in the queue



Stadium Inspection

- **Other Key Security Issues with Math Sci Challenges:**
 - Access control
 - Credentialing
 - Perimeter control
 - Communications
 - Training and exercising
 - Transportation access
 - Cyber security

Security at Sports Stadiums & Large Gathering Places

- *Example: safety and security at sports stadiums and other gathering places.*
- Also working with Port Authority of New York and New Jersey on simulation of crowd movements
- Port Authority Bus Terminal in NYC has major crowd movement issues, especially in case of emergencies.

Credit: wnyc.org



Credit: Wikipedia

Security at Sports Stadiums & Large Gathering Places

- Port Authority Bus Terminal in NYC: world's busiest bus terminal
- 225,000 riders and 8,000 bus movements per day
- Critical transit facility to move people between NYC and NJ
- Central part of any emergency evacuation scenario for Manhattan



Credit: online.WSJ.com




Credit: Wikipedia

Security at Sports Stadiums & Large Gathering Places

- Terminal faces major crowd management issues:
 - Movement of people through the terminal at high traffic times
 - Overcrowding and crowd management issues during emergency situations
 - Upon reopening after Super Storm Sandy and NYC Blackout, passenger lines extended out into the street.
 - Serious crowd and traffic safety problems
 - Makes people vulnerable to Boston Marathon-type situations

Credit: cityroom.blogs.nytimes.com



Security at Sports Stadiums & Large Gathering Places

- Terminal is getting old.
 - Constructed 1949
 - Years of vibrations and over-use have led to deterioration of the facility
 - Ready for massive overhaul
 - Plans being made to design and build new bus terminal or overhaul the old one
 - Crowd management and security a major issue in:
 - Design of new facility
 - During intermediate periods when existing PABT is only partially usable



Credit: nj1015.com

Security at Sports Stadiums & Large Gathering Places

- Project on Crowd Management at PABT
 - Design and implementation of a 3D simulation environment for the PABT using state-of-the-art animation & motion planning techniques
 - Include the animation of people under dynamic construction conditions
 - Use the simulation to:
 - Help redesign current crowd management and queuing procedures
 - Explore effects of new signage, location of ticket machines and vending stations
 - Design plans for crowd management in emergencies
 - Evaluate the effects of construction on the normal operation of the PABT.

Urban Commerce and Security Study: UCASS

- *Problem:* There is often a perceived conflict between freedom of economic activity and the need for increased security. Nowhere is this more apparent than in urban areas such as Lower Manhattan
 - Conflicting goals:
 - Enhance economic activity
 - Prevent terrorist attacks
 - But, are they always conflicting?



Urban Commerce and Security Study


- *UCASS aims to:*
 - Assess economic impact of security initiatives
 - Develop general approach to understanding interplay between security and commerce
 - Develop approach with wide applicability to urban areas nationwide
 - Identify ways to minimize economic impact of security initiatives
 - Identify situations where increased security enhances economic activity

Urban Commerce and Security Study

- *Ultimate Project Goal: Develop a decision support tool that planners and decision makers can use to make choices about security initiatives/countermeasures*
- Tool based on risk and economic analysis
- Usable to compare security measures or packages (“portfolios”) of security measures as to risk and economic consequences
- Applicable to a variety of urban areas

Urban Commerce and Security Study

- *Understanding economic activity in a region:*
 - “Normal activity”
 - Activity after a countermeasure
- *Developed a simulation tool:*
 - Discrete event simulation
 - One version: based on ARENA simulation software
 - Another version based on OMNet++ simulation software



Urban Commerce and Security Study

- *Developed a simulation tool:*
- *ARENA and OMNet++*
 - *Input:* scenario and a security initiative
 - *Input:* information about probabilities of different movements/behaviors
 - If a pedestrian passes a department store, what is probability she will go inside?
 - What if there is a walk-through magnetometer in front of the entrance?
- More in talk at this workshop



Credit: library.gc.cuny.edu





Boston April 15, 2013

Credit people.com

So would mathematical sciences have helped?



Boston April 15, 2013

Credit people.com

So would mathematical sciences have helped?

- Modeling helped change access policies at NFL and college stadiums following the Boston events: Layered defense!
- Beginning to be used for events with more open access

Theme 4: Urban Planning for a Changing Environment

- *Theme 4: Urban Planning for a Changing Environment: Math Science Challenges:*

- Changing climate
- Sea level rise; salt water inundation
- Growing number of electrical vehicles
- Alternative energy systems for heating and cooling
- Smart grid
- Social media as aid to urban living
- Increasing problem of solid waste as city population increases; recycling protocols
- Availability of potable water
- Ubiquitous sensors that measure everything from the need to dim street lights and when trash bins are full

Urban Planning for Climate Events

- *Example: Climate events:* Super Storms, heat, drought, floods – all could be increasing in number and severity.
- What can urban areas do to prepare for them?



Urban Planning for Climate Events

- Sustainable Human Environments cluster: Pre-workshop: Urban Planning for Climate Change, Sept. 2013, at DIMACS-Rutgers University
- *What can urban areas do to prepare for/mitigate changes due to climate and in particular the effect of future climate events?*




Extreme Events due to Global Warming

- We anticipate an increase in number and severity of extreme events due to global warming.
- More heat waves.
- More floods, hurricanes.



Extreme Events due to Global Warming: More Hurricanes

Irene hits NYC – August 2011



Extreme Events due to Global Warming: More Hurricanes

Irene hits NYC – August 2011



Extreme Events due to Global Warming: More Hurricanes

Irene hits NYC – August 2011



Extreme Events due to Global Warming: More Hurricanes

Sandy Hits NJ Oct. 29, 2013



My backyard



My block

Extreme Events due to Global Warming: More Hurricanes

Sandy Hits NJ Oct. 29, 2013



My neighborhood



My block

Extreme Events due to Global Warming: More Hurricanes

Sandy Hits NJ Oct. 29, 2013



NJ Shore – from Jon Miller

Extreme Events due to Global Warming: More Hurricanes

Future Storms

- To plan for the future, what do we need to do?
- How can we use mathematical modeling, simulation, and algorithmic tools of risk assessment to plan for the future?
- To plan for more extreme events
- To plan for rising sea levels

Extreme Events due to Global Warming: More Hurricanes

- Using mathematical modeling, simulation, and algorithmic methods of risk assessment to plan for the future:
 - What subways will be flooded?
 - How can we protect against such flooding?



Extreme Events due to Global Warming: More Hurricanes

- Using mathematical modeling, simulation, and algorithmic methods of risk assessment to plan for the future:

- What power plants or other facilities on shore areas will be flooded?
- Do we have to move them?



Extreme Events due to Global Warming: More Hurricanes


- Using mathematical modeling, simulation, and algorithmic methods of risk assessment to plan for the future:
 - How can we get early warning to citizens that they need to evacuate?
 - How can we plan such evacuations effectively?



Extreme Events due to Global Warming: More Hurricanes

- Using mathematical modeling, simulation, and algorithmic methods of risk assessment to plan for the future:

- How can we plan placement of utility lines to minimize down time?



Extreme Events due to Global Warming: More Hurricanes

- Using mathematical modeling, simulation, and algorithmic methods of risk assessment to plan for the future:

- How can we plan for getting people back on line after a storm?



Bringing in help from out of state

Extreme Events due to Global Warming: More Hurricanes

- Using mathematical modeling, simulation, and algorithmic methods of risk assessment to plan for the future:
 - How can we set priorities for cleanup?



Sea Level Rise

- Sectors affected by sea level rise include:
 - Transportation
 - Communications
 - Energy
 - Construction
 - Water supply
 - Waste
- How do we prioritize among them?
- How are they interrelated? E.g., better communications might help us reroute transportation more efficiently.



Photo Source: Updating Maryland's Sea-Level Rise Projections, Maryland Climate Change Commission, June 26, 2013

Logistics: Supply Chains

- What supplies are needed during an emergency?
 - Water, Food, Fuel, Generators, Chainsaws?
- How and where can we stockpile them?
- What are good methods for getting these to those who need them in an efficient way?



Floods

- How do we plan emergency rescue vehicle routing to avoid rising flood waters while still minimizing delay in provision of medical attention and still getting afflicted people to available hospital facilities?



Floods

- Which flood mitigation projects to invest in?
 - Buyouts
 - Better flood warning systems
 - “Green infrastructure” (cisterns & rain barrels)
 - Pervious concrete
 - Etc.

Raritan River flood
Bound Brook, NJ
August 2011




Floods

- Data-driven/Model-driven Decision Support
- Data-driven. Assemble data about:
 - Precipitation (duration, amount)
 - Antecedent conditions (soil moisture content, ground cover, seasonality)
 - River gage levels
 - Flood maps
 - Property damage data – FEMA payouts



Floods

- Data-driven, Model-driven Decision Support
- Model-driven: A CCICADA project with FEMA
 - Hydrological modeling to predict effect on river gage levels of different flood mitigation projects
 - Econometric modeling to predict insurance costs of flood gage levels
 - Combine the two



Extreme Heat Events



- Subject of a DIMACS project.
- Key initial emphasis by CDC's modeling unit
- Result in increased incidence of heat stroke, dehydration, cardiac stress, respiratory distress
- Hyperthermia in elderly patients can lead to cardiac arrest.
- Effects not independent: Individuals under stress due to climate may be more susceptible to infectious diseases

Extreme Heat Events

- One response to such events: evacuation of most vulnerable individuals to climate controlled environments.
- Modeling challenges:
 - Where to locate the evacuation centers?
 - Whom to send where?
 - Goals include minimizing travel time, keeping facilities to their maximum capacity, etc.
 - All involve tools of Operations Research: location theory, assignment problem, etc.
 - Long-term goal in smart cities: Utilize real-time information to update plans



Extreme Heat Events

- The DIMACS project on heat event evacuation was based in Newark, NJ – collaboration with Newark city agencies.
- Data includes locations of potential shelters, travel distance from each city block to potential shelters, and population size and demographic distribution on each city block.
- Determined “at risk” age groups and their likely levels of healthcare needed to avoid serious problems



Extreme Heat Events

- DIMACS project was also concerned with computing optimal routing plans for at-risk population to minimize adverse health outcomes and travel time
- Question: Smart cities: Can routing plans be implemented quickly; can we get information to people quickly?
- Can we develop evacuation plans that are quickly modifiable given data from evacuation centers, traffic management, etc.?
- Far from what happens in evacuations today.

Extreme Heat Events

- A side effect of such events: Extremes in energy use lead to need for rolling blackouts.
- Modeling challenges (a DIMACS research project)
 - Understanding health impacts of blackouts and bringing them into models
 - How do we design efficient rolling blackouts while minimizing impact on health?
 - Lack of air conditioning
 - Elevators don't work: vulnerable people over-exertion
 - Food spoilage
 - Minimizing impact on the most vulnerable populations
- Math science challenge: How to utilize “smart grid” to update plans



MPE: Sustainable Human Environments

How can Math Sciences help?

How can we each help?

